

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878 Reference number: 220301_Mertil Issue date: 19/07/2022 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture

Name : Diflufenican 200 g/l; flufenacet 400 g/l SC

Trade name : Mertil

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Main use category : Professional use Industrial/Professional use spec : Plant protection products

Use of the substance/mixture : Herbicide

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

UPL Europe Ltd
Engine Rooms (1st Floor) Birchwood Park
Warrington – WA3 6YN
United Kingdom
T +44 1925 819999 - F +44 (0) 1925 817425
EUR-SDS.info@upl-ltd.com

1.4. Emergency telephone number

Emergency number : Rest of the world (English): +44 1865 407333

Europe (English): +44(0)1235 239670 112 (European Emergency Number)

Country	Organisation/Company	Address	Emergency number	Comment
United Kingdom	National Poisons Information Service (Birmingham Centre) City Hospital	Dudley Road B18 7QH Birmingham	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Cardiff Centre) University Hospital Llandough	Penlan Road CF64 2XX Llandough	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Edinburgh Centre) Royal Infirmary of Edinburgh	Little France Crescent EH16 4SA Edinburgh	0344 892 0111	Only for healthcare professionals
United Kingdom	Guy's & St Thomas' Poisons Unit Medical Toxicology Unit, Guy's & St Thomas' Hospital Trust	Avonley Road SE14 5ER London	+44 20 7188 7188	
United Kingdom	National Poisons Information Service (Newcastle Centre) Regional Drugs and Therapeutics Centre	16/17 Framlington Place Newcastle-upon-Tyne NE2 4AB Newcastle	0344 892 0111	Only for healthcare professionals
United Kingdom	National Poisons Information Service (Belfast Centre) Royal Victoria Hospital	Grosvenor Road BT12 6BA Belfast	0344 892 0111	Only for healthcare professionals

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Acute toxicity (oral), Category 4 H302 Skin sensitisation, Category 1 H317 Specific target organ toxicity - Repeated exposure, Category 2 H373 Hazardous to the aquatic environment - Acute Hazard, Category 1 H400 Hazardous to the aquatic environment - Chronic Hazard, Category 1 H410 Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

2.2. Label elements

Signal word (CLP)

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP)







GHS07

: Warning

Contains : flufenacet (ISO), 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one

Hazard statements (CLP) : H302 - Harmful if swallowed.

H317 - May cause an allergic skin reaction.

H373 - May cause damage to organs through prolonged or repeated exposure.

H410 - Very toxic to aquatic life with long lasting effects.

Precautionary statements (CLP) : P260 - Do not breathe dust/fume/gas/mist/vapours/spray.

P273 - Avoid release to the environment.

P280 - Wear protective gloves/protective clothing/eye protection/face protection. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention.

P363 - Wash contaminated clothing before reuse.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation.

EUH-statements EUH401 - To avoid risks to human health and the environment, comply with the instructions

for use.

2.3. Other hazards

No additional information available

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
flufenacet (ISO)	CAS-No.: 142459-58-3 EC-No.: 604-290-5 EC Index-No.: 613-164-00-9	33.68	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Sens. 1, H317 STOT RE 2, H373 Aquatic Acute 1, H400 Aquatic Chronic 1, H410 EUH401
diflufenican (ISO); N-(2,4-difluorophenyl)- 2-[3-(trifluoromethyl)phenoxy]- 3-pyridinecarboxamide; 2',4'-difluoro-2-(α,α,α-trifluoro-m-tolyloxy)nicotinanilide	CAS-No.: 83164-33-4 EC Index-No.: 616-032-00-9	16.67	Aquatic Acute 1, H400 (M=10000) Aquatic Chronic 1, H410 (M=1000) EUH401
Propylene glycol substance with national workplace exposure limit(s) (GB)	CAS-No.: 57-55-6 EC-No.: 200-338-0 REACH-no: 01-2119456809- 23	4.95	Not classified
Poly(oxy-1,2-ethanediyl), α-[2,4,6-tris(1-phenylethyl)phenyl]-ω-hydroxy-	CAS-No.: 99734-09-5	1 - 5	Aquatic Chronic 3, H412
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540-	< 0.05	Acute Tox. 4 (Oral), H302 (ATE=670 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1)
Sodium hydroxide substance with national workplace exposure limit(s) (GB)	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	< 0.1	Met. Corr. 1, H290 Skin Corr. 1A, H314 Eye Dam. 1, H318

Specific concentration limits:		
Name	Product identifier	Specific concentration limits
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one	CAS-No.: 2634-33-5 EC-No.: 220-120-9 EC Index-No.: 613-088-00-6 REACH-no: 01-2120761540- 60	(0.05 ≤C ≤ 100) Skin Sens. 1, H317
Sodium hydroxide	CAS-No.: 1310-73-2 EC-No.: 215-185-5 EC Index-No.: 011-002-00-6 REACH-no: 01-2119457892- 27	(0.5 ≤C < 2) Eye Irrit. 2, H319 (0.5 ≤C < 2) Skin Irrit. 2, H315 (2 ≤C < 5) Skin Corr. 1B, H314 (5 ≤C ≤ 100) Skin Corr. 1A, H314

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : Never give anything by mouth to an unconscious person. If you feel unwell, seek medical

advice (show the label where possible).

First-aid measures after inhalation : Allow affected person to breathe fresh air. Allow the victim to rest.

7/19/2022 (Issue date) EN (English) 3/13

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

First-aid measures after skin contact : Remove affected clothing and wash all exposed skin area with mild soap and water,

followed by warm water rinse. Wash with plenty of water/.... If skin irritation or rash occurs: Get medical advice/attention. Specific treatment (see supplemental first aid instruction on

this label). Wash contaminated clothing before reuse.

First-aid measures after eye contact : Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persists.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention. Call a

POISON CENTER/doctor if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Causes damage to organs.

Symptoms/effects after inhalation : May cause an allergic skin reaction.

Symptoms/effects after ingestion : Swallowing a small quantity of this material will result in serious health hazard.

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any

chemical fire. Prevent fire fighting water from entering the environment.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters. Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible.

Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

7/19/2022 (Issue date) EN (English) 4/13

Safety Data Sheet

Hygiene measures

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or

smoking and when leaving work. Provide good ventilation in process area to prevent

formation of vapour. Avoid breathing dust/fume/gas/mist/vapours/spray.

: Do not eat, drink or smoke when using this product. Wash hands, forearms and face

thoroughly after handling. Contaminated work clothing should not be allowed out of the

workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep

container closed when not in use.

Incompatible products : Strong bases. Strong acids.

Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

Propylene glycol (57-55-6)		
United Kingdom - Occupational Exposure Limits		
Local name	Propane-1,2-diol	
WEL TWA (OEL TWA) [1]	10 mg/m³ particulates 474 mg/m³ total vapour and particulates	
WEL TWA (OEL TWA) [2]	150 ppm total vapour and particulates	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	
Sodium hydroxide (1310-73-2)		
United Kingdom - Occupational Exposure Limits		
Local name Sodium hydroxide		
WEL STEL (OEL STEL)	2 mg/m³	
Regulatory reference	EH40/2005 (Fourth edition, 2020). HSE	

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

No additional information available

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

8.2.2. Personal protection equipment

Personal protective equipment:

Avoid all unnecessary exposure.

8.2.2.1. Eye and face protection

Eye protection:

Safety glasses (EN 166)

8.2.2.2. Skin protection

Skin and body protection:

Wear suitable protective clothing. Wear standard coveralls and Category 3 Type 4 suit (EN 13688 + EN 14605:2005).

If there is a risk of significant exposure, consider a higher protective type suit.

Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

Hand protection:

Wear protective gloves.

Hand protection					
Туре	Material	Permeation	Thickness (mm)	Penetration	Standard
Disposable gloves	Nitrile rubber (NBR)	6 (> 480 minutes)	> 0.4	3 (> 0.65)	EN ISO 374

8.2.2.3. Respiratory protection

Respiratory protection:

Wear appropriate mask. Extra personal protection: P2 filter respirator for harmful particles

Respiratory protection			
Device	Filter type	Condition	Standard
Full face mask	Type P2	Vapour protection	EN 136, EN 149

8.2.2.4. Thermal hazards

No additional information available

8.2.3. Environmental exposure controls

Other information:

Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : Suspension Concentrate (SC).

Colour: white.Odour: Characteristic.Odour threshold: No data available

pH : ≈ 7.5 (1% aq) CIPAC MT 75.

Relative evaporation rate (butylacetate=1) : No data available Melting point : No data available : No data available Freezing point Boiling point : No data available Flash point : > 102 °C (EC A.9) Auto-ignition temperature : No data available : No data available Decomposition temperature Flammability (solid, gas) : Non flammable. Vapour pressure : No data available Relative vapour density at 20 °C : No data available Relative density : 1.2123 (20°C), EC A.3

7/19/2022 (Issue date) EN (English) 6/13

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Solubility : Dispersible.

Partition coefficient n-octanol/water (Log Pow) : No data available

Viscosity, kinematic : 234 mm²/s (20 °C), OECD 114

Viscosity, dynamic : No data available

Explosive properties : Based on the chemical structure there is no indication of explosive properties.

Oxidising properties : Non oxidizing. Test method EU A.17.

Explosive limits : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity (oral) : Harmful if swallowed.

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Not classified

Mertil Mertil		
ATE CLP (oral)	1484.561 mg/kg bodyweight	
diflufenican (ISO); N-(2,4-difluorophenyl)- 2-[3-(trifluoromethyl)phenoxy]- 3-pyridinecarboxamide; $2'$,4'-difluoro-2-(α , α , α -trifluoro-m-tolyloxy)nicotinanilide (83164-33-4)		
LD50 oral rat	> 5000 mg/kg	
LD50 dermal rat	> 2000 mg/kg	
LC50 Inhalation - Rat	> 51.2 mg/l (4 h)	
LD50, Oral, Dog & rabbit	> 5000 mg/kg	
Poly(oxy-1,2-ethanediyl), α-[2,4,6-tris(1-phenylethyl)phenyl]-ω-hydroxy- (99734-09-5)		
LD50 oral rat	> 2000 mg/kg	
LD50 dermal rat	> 2000 mg/kg	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
1,2-benzisothiazol-3(2H)-one; 1,2-benzisoth	niazolin-3-one (2634-33-5)
LD50 oral rat	670 mg/kg (OECD 401) male
LD50 oral	784 mg/kg (OECD 401) female
LD50 dermal rat	> 2000 mg/kg (OECD 402)
flufenacet (ISO) (142459-58-3)	
LD50 oral rat	589 mg/kg (female)
LD50 oral	1620 mg/kg (male)
LD50 dermal rat	> 2000 mg/kg
LC50 Inhalation - Rat	> 3.74 mg/l (4 h) (Aerosol)
LD50, oral, mouse (male)	1331 mg/kg
LD50, Oral, mouse (female)	1756 (mg/kg)
Skin corrosion/irritation	: Not classified (Based on available data, the classification criteria are not met) pH: ≈ 7.5 (1% aq) CIPAC MT 75.
Serious eye damage/irritation	 Not classified (Based on available data, the classification criteria are not met) pH: ≈ 7.5 (1% aq) CIPAC MT 75.
Respiratory or skin sensitisation	: May cause an allergic skin reaction. (Based on available data, the classification criteria an not met)
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)
Reproductive toxicity	: Not classified (Based on available data, the classification criteria are not met)
1,2-benzisothiazol-3(2H)-one; 1,2-benzisoth	niazolin-3-one (2634-33-5)
NOAEL (animal/female, F1)	56.6 mg/kg bodyweight female (ratReproductionFertility; EPA OPPTS 870.3800
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: May cause damage to organs through prolonged or repeated exposure.
flufenacet (ISO) (142459-58-3)	
STOT-repeated exposure	May cause damage to organs through prolonged or repeated exposure.
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Mertil	
Viscosity, kinematic	234 mm²/s (20 °C), OECD 114

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term

(acute)

Hazardous to the aquatic environment, long-term

(chronic)

: Very toxic to aquatic life.

: Very toxic to aquatic life with long lasting effects.

Not rapidly degradable

Not rapidly degradable	
Mertil	
EC50 Daphnia	55.23 mg/l (Daphnia magna) - OECD 202

7/19/2022 (Issue date) 8/13 EN (English)

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Mertil Commence of the Commenc		
EC50 - Other aquatic organisms	0.305 mg/l (7d, Lemna minor) - OECD 221	
EC50 72h - Algae	0.011 mg/l (P. subcapitata) - OECD 201	
Poly(oxy-1,2-ethanediyl), α-[2,4,6-tris(1-pheny	· lethyl)phenyl]-ω-hydroxy- (99734-09-5)	
LC50 - Fish	21 mg/l (96h, Brachydanio rerio)	
Propylene glycol (57-55-6)		
LC50 - Fish	> 100 mg/l	
EC50 - Crustacea	> 100 mg/l	
ErC50 algae	> 100 mg/l	
NOEC chronic crustacea	1000 mg/l	
NOEC chronic algae	1000 mg/l	
Sodium hydroxide (1310-73-2)		
LC50 - Fish	35 – 189 mg/l	
EC50 - Crustacea	40.4 mg/l Ceriodaphnia sp.	
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)		
LC50 - Fish	2.18 mg/l/96h ((OECD 203 method), Oncorynchus mykiss)	
LC50 fish	2.15 mg/l Oncorhynchus mykiss (Rainbow trout)	
EC50 - Crustacea	2.94 mg/l/48h ((OECD 202 method), Daphnia magna)	
EC50 Daphnia	2.9 mg/l Daphnia magna	
ErC50 algae	0.11 mg/l/72h ((OECD 201 method), Selenastrum capricornutum)	
NOEC chronic crustacea	1.7 mg/l/ 21 days (OECD 211; Daphnia)	
flufenacet (ISO) (142459-58-3)		
LC50 - Fish	2.13 mg/l Lepomis macrochirus (Bluegill)	
LC50 fish	5.84 mg/l Oncorhynchus mykiss (Rainbow trout)	
LC50 - Other aquatic organisms	3.31 mg/l carp 10-12, Cyprinodon variegatus (sheepshead minnow)	
EC50 Daphnia	30.9 mg/l	
ErC50 algae	0.00755 mg/l Pseudokirchneriella subcapitata, 96 h	
ErC50 other aquatic plants	> 5.04 mg/l Navicula pelliculosa, 96 h	
ErC50 (72 h), Desmodesmus subspicatus	0.675 mg/l	
ErC50 (72 h), Chlorella vulgaris	11.1 mg/l	
ErC50 (96 h), Anabaena flos-aquae	> 53.2 mg/l	

12.2. Persistence and degradability

Mertil		
Persistence and degradability	May cause long-term adverse effects in the environment.	
Propylene glycol (57-55-6)		
Persistence and degradability	Readily biodegradable. 81.7 - 106.8 % biological degradation (28 days). (OECD 301F method). 95.8 % biological degradation (DOC reduction) (64 days). 90.6 % biological degradation (CO2 formation) (64 days). (OECD 306 method).	
Biochemical oxygen demand (BOD)	0.86 g O ₂ /g substance BOD5	

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Propylene glycol (57-55-6)	
Chemical oxygen demand (COD) 1.585 g O ₂ /g substance	
flufenacet (ISO) (142459-58-3)	
Persistence and degradability May cause long-term adverse effects in the environment.	

12.3. Bioaccumulative potential

diflufenican (ISO); N-(2,4-difluorophenyl)- 2-[3-(trifluoromethyl)phenoxy]- 3-pyridinecarboxamide; $2'$,4'-difluoro-2-(α , α , α -trifluoro-m-tolyloxy)nicotinanilide (83164-33-4)		
Partition coefficient n-octanol/water (Log Pow)	4.2 (20° C)	
Bioaccumulative potential	Not bioaccumulable.	
Propylene glycol (57-55-6)		
BCF - Fish [1]	0.09 (calculated value)	
Partition coefficient n-octanol/water (Log Pow)	-1.07	
Bioaccumulative potential	Low bioaccumulation potential.	
1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one (2634-33-5)		
Partition coefficient n-octanol/water (Log Pow)	0.7 (20 °C)	
flufenacet (ISO) (142459-58-3)		
Partition coefficient n-octanol/water (Log Pow)	3.4 20 °C	
Bioaccumulative potential	Not bioaccumulable.	

12.4. Mobility in soil

Mertil	
Surface tension	47.11 mN/m (20°C), EC A.5, OECD 1
Propylene glycol (57-55-6)	
Surface tension	71.6 mN/m

12.5. Results of PBT and vPvB assessment

Component	
Propylene glycol (57-55-6)	This substance/mixture does not meet the PBT criteria of REACH regulation, annex XIII

12.6. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations. Dispose of

contents/container to hazardous or special waste collection point, in accordance with local,

regional, national and/or international regulation.

Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA

7/19/2022 (Issue date) EN (English) 10/13

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

ADR	IMDG	IATA
14.1. UN number		
UN 3082	UN 3082	UN 3082
14.2. UN proper shipping name		
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((flufenacet, dilufenican, mixture))	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((flufenacet, dilufenican, mixture))	Environmentally hazardous substance, liquid, n.o.s. ((flufenacet, dilufenican, mixture))
Transport document description		
UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((flufenacet, dilufenican, mixture)), 9, III, (-)	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. ((flufenacet, dilufenican, mixture)), 9, III, MARINE POLLUTANT	UN 3082 Environmentally hazardous substance, liquid, n.o.s. ((flufenacet, dilufenican, mixture)), 9, III
14.3. Transport hazard class(es)		
9	9	9
14.4. Packing group		
III	III	Ш
14.5. Environmental hazards		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes
No supplementary information available		

14.6. Special precautions for user

Overland transport

Classification code (ADR) : M6

Special provisions (ADR) : 274, 335, 375, 601

Limited quantities (ADR) : 5I Excepted quantities (ADR) : E1

Packing instructions (ADR) : P001, IBC03, LP01, R001

Special packing provisions (ADR) : PP1
Mixed packing provisions (ADR) : MP19
Portable tank and bulk container instructions (ADR) : T4
Portable tank and bulk container special provisions : TP1, TP29

(ADR)

Tank code (ADR) : LGBV
Vehicle for tank carriage : AT
Transport category (ADR) : 3
Special provisions for carriage - Packages (ADR) : V12
Special provisions for carriage - Loading, unloading : CV13

and handling (ADR)

Hazard identification number (Kemler No.) : 90

Orange plates :

| Orange | O

90 3082

Tunnel restriction code : EAC code : •3Z

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Transport by sea

Special provisions (IMDG) : 274, 335, 969

Limited quantities (IMDG) : 5 L Excepted quantities (IMDG) : E1 : LP01, P001 Packing instructions (IMDG) Special packing provisions (IMDG) : PP1 IBC packing instructions (IMDG) : IBC03 Tank instructions (IMDG) : T4 Tank special provisions (IMDG) : TP1, TP29 EmS-No. (Fire) : F-A

EmS-No. (Fire) : F-A EmS-No. (Spillage) : S-F Stowage category (IMDG) : A

Air transport

PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y964
PCA limited quantity max net quantity (IATA) : 30kgG
PCA packing instructions (IATA) : 964
PCA max net quantity (IATA) : 450L
CAO packing instructions (IATA) : 964
CAO max net quantity (IATA) : 450L

Special provisions (IATA) : A97, A158, A197, A215

ERG code (IATA) : 9L

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

Contains no REACH substances with Annex XVII restrictions

Contains no substance on the REACH candidate list

Contains no REACH Annex XIV substances

Contains no substance subject to Regulation (EU) No 649/2012 of the European Parliament and of the Council of 4 July 2012 concerning the export and import of hazardous chemicals.

Contains no substance subject to Regulation (EU) No 2019/1021 of the European Parliament and of the Council of 20 June 2019 on persistent organic pollutants

Contains no substance subject to Regulation (EU) 2019/1148 of the European Parliament and of the Council of 20 June 2019 on the marketing and use of explosives precursors.

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Indication of changes:

Harmonised (legal) classification ATP Inserted / Updated. see section(s): 3, 8. 8. Exposure controls/personal protection.

Data sources : REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE

COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and

amending Regulation (EC) No 1907/2006.

Other information : None.

Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH) with its amendment Regulation (EU) 2020/878

Full text of H- and EUH-statements:		
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4	
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1	
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1	
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3	
EUH401	To avoid risks to human health and the environment, comply with the instructions for use.	
Eye Dam. 1	Serious eye damage/eye irritation, Category 1	
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2	
H290	May be corrosive to metals.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H318	Causes serious eye damage.	
H319	Causes serious eye irritation.	
H373	May cause damage to organs through prolonged or repeated exposure.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	
H412	Harmful to aquatic life with long lasting effects.	
Met. Corr. 1	Corrosive to metals, Category 1	
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A	
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B	
Skin Irrit. 2	Skin corrosion/irritation, Category 2	
Skin Sens. 1	Skin sensitisation, Category 1	
STOT RE 2	Specific target organ toxicity – Repeated exposure, Category 2	

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Acute Tox. 4 (Oral)	H302	Calculation method
Skin Sens. 1	H317	Calculation method
STOT RE 2	H373	Calculation method
Aquatic Acute 1	H400	On basis of test data
Aquatic Chronic 1	H410	On basis of test data

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.